

## IOActive Security Advisory

Title	Android (AOSP) Download Provider SQL Injection in Query Selection Parameter (CVE-2019-2198)
Severity	High
Discovered by	Daniel Kachakil, Senior Security Consultant
Advisory Date	January 17, 2020

### Affected Products

Android Open Source Project (AOSP)  
Android versions: 8.0, 8.1, 9, 10

### Impact

A malicious application with the `INTERNET` permission granted could retrieve all entries from the Download Provider internal database, bypassing all currently implemented access control mechanisms by exploiting an SQL injection in the selection clause.

The information retrieved from this provider may include potentially sensitive information such as file names, descriptions, titles, paths, URLs (that may contain sensitive parameters in the query strings), cookies, custom HTTP headers, etc., for applications such as Gmail, Google Chrome, the Google Play Store, etc.

### Background

The Download Provider is used to handle OTA updates and the basic download needs of relevant applications such as Gmail, Google Chrome, and the Google Play Store, amongst many others.

By design, all this information should be restricted to the application that requested the download or applications with the explicit permission to access all downloads. This is why custom permissions and different URI paths exist for this provider.

### Technical Details

Access to the Download Content Provider requires different permissions, such as `INTERNET` or `ACCESS_ALL_DOWNLOADS`, depending on the requested URI, as shown in the `AndroidManifest.xml`<sup>1</sup> file:

```
<provider android:name=".DownloadProvider"  
          android:authorities="downloads" android:exported="true">
```

<sup>1</sup> <https://android.googlesource.com/platform/packages/providers/DownloadProvider/+master/AndroidManifest.xml>

```

<!-- Anyone can access /my_downloads, the provider internally restricts
access by UID for these URIs -->
<path-permission android:pathPrefix="/my_downloads"
                android:permission="android.permission.INTERNET"/>
<!-- to access /all_downloads, ACCESS_ALL_DOWNLOADS permission is
required -->
<path-permission android:pathPrefix="/all_downloads"
                android:permission="android.permission.ACCESS_ALL_DOWNLOADS"/>
<!-- Temporary, for backwards compatibility -->
<path-permission android:pathPrefix="/download"
                android:permission="android.permission.INTERNET"/>

<!-- Apps with access to /all_downloads/... can grant permissions,
allowing them to share downloaded files with other viewers -->
<grant-uri-permission android:pathPrefix="/all_downloads/" />
<!-- Apps with access to /my_downloads/... can grant permissions,
allowing them to share downloaded files with other viewers -->
<grant-uri-permission android:pathPrefix="/my_downloads/" />
</provider>

```

The selection clause was restricted in previous versions of Android. In the following commit<sup>2</sup>, the protection was removed in an attempt to add searching capabilities to the Download Provider:

```

Title: Enable search for Downloads
Commit hash: b759707b80987d0cb4ad2a3a78c11702a45a36c2
Change-Id: Ide23c822b97ccab29a341184f14698dc942e8e14
Commit date: 10/05/2016 23:48:01

```

As we can see in the diff changes, the following highlighted line was removed in that commit, introducing the vulnerability:

```

@Override
public query(final Uri uri, String[] projection,
             final String selection, final String[] selectionArgs,
             final String sort) {

    Helpers.validateSelection(selection, sAppReadableColumnsSet);

    SQLiteDatabase db = mOpenHelper.getReadableDatabase();
    ...

```

Since the selection clause is no longer validated, an attacker would be only limited by the `setStrict(true)` further call, which is insufficient to prevent most injections.

In June 2018, IOActive reported a similar issue (CVE-2018-9493, A-111085900), but the three related fixes<sup>3</sup> implemented by the Android developers to address the vulnerability, which were released in October 2018, were found to be insufficient.

<sup>2</sup>

<https://android.goesource.com/platform/packages/providers/DownloadProvider/+b759707b80987d0cb4ad2a3a78c11702a45a36c2>

<sup>3</sup> <https://android.goesource.com/platform/frameworks/base/+462aaeaa616e0bb1342e8ef7b472acc0cbc93deb>,  
<https://android.goesource.com/platform/packages/providers/DownloadProvider/+e7364907439578ce5334bce20b>

This new SQL injection vulnerability allows to efficiently retrieve all existing data from the internal `downloads.db` database.

## Proof of Concept

In order to exploit the issue, a malicious application granted the `INTERNET` permission can request a legitimate download in order to differentiate between `true` and `false` conditions, based on the number of returned rows from the legitimate query to the `content://downloads/my_downloads` URI, with a condition like the following:

```
(SELECT COUNT(*) FROM table WHERE condition) > 0
```

For instance:

```
(SELECT COUNT(*) FROM downloads WHERE _id=123 AND title LIKE 'a%') > 0
```

When the condition is evaluated to `true`, the executed query will return information, while it will not return any rows when it is evaluated to `false`. This is enough to perform a classic blind SQL injection attack and retrieve all of the information from the database.

Note that, apart from the default `downloads` table, the injection also allows access to the `request_headers` table and all private columns (such as `UID`, `ETag` or `CookieData`) that should be restricted by the projection explicit limitations, as mentioned in the internal documentation<sup>4</sup>:

### **Reducing the list of visible columns**

*Security in the download provider is primarily enforced with two separate mechanisms:*

- *Column restrictions, such that only a small number of the download provider's columns can be read or queried by applications.*
- *UID restrictions, such that only the application that initiated a download can access information about that download.*

*The first mechanism is expected to be fairly robust (the implementation is quite simple, based on projection maps, which are highly structured), but the second one relies on arbitrary strings (URIs and SQL fragments) passed by applications and is therefore at a higher risk of being compromised. Therefore, sensitive information stored in unrestricted columns (for which the first mechanism doesn't apply) is at a greater risk than other information.*

A PoC app accompanies this advisory<sup>5</sup> which implements a faster more efficient and extraction, retrieving one byte per query. This is achieved by inserting 256 specially crafted

---

[b03fef2e88b107](https://android.googlesource.com/platform/frameworks/base/+ebc250d16c747f4161167b5ff58b3aea88b37acf), and

<https://android.googlesource.com/platform/frameworks/base/+ebc250d16c747f4161167b5ff58b3aea88b37acf>

<sup>4</sup> <https://android.googlesource.com/platform/packages/providers/DownloadProvider/+master/docs/index.html>

<sup>5</sup> <https://github.com/IOActive/AOSP-DownloadProviderDbDumperSQLiWhere>

downloads (in the first execution only), and then matching the specific returned row against this lookup table, rather than retrieving a single bit per query.

This PoC app will retrieve several columns from all existing downloads in the table, such as URI, title, or description, including some of the restricted ones, such as ETag or CookieData, and all custom headers (if any) as well.

If the output is empty, make sure that the provider contains some data, by downloading any file (i.e. a PDF) from Google Chrome or any attachment from Gmail, for instance.

## Suggested Fixes

If it does not break any functionality, consider adding the line that was removed, or revert the above-referenced commit that introduced the vulnerability:

```
@Override
public query (final Uri uri, String[] projection,
             final String selection, final String[] selectionArgs,
             final String sort) {
    Helpers.validateSelection(selection, sAppReadableColumnsSet);
}
```

## Mitigation

The vulnerability has been fixed in the official repository. Specifically, in the following commits, also affecting the Android's Base Framework and Media Provider:

<https://android.goesource.com/platform/frameworks/base/+07d6f1fe094b6dbde854fb82ada06e85d7a97ecd>

<https://android.goesource.com/platform/frameworks/base/+36a5c576f0d379b0be3716fe5b8b9ae8bb3952f5>

<https://android.goesource.com/platform/packages/providers/DownloadProvider/+ef25600f187f5372ad89645e6e6e7b4204bf0676>

<https://android.goesource.com/platform/packages/providers/MediaProvider/+4a827429765fa167571ec21611ee057d43c8e336>

Google had released security patches for this vulnerability in November 2019. IOActive recommends applying the latest security patches from your vendor. If for any reason it is not possible to apply such updates, make sure that your Android device only contains trusted applications before attempting to download any files, particularly if they contain confidential information.

## Timeline

- 2019-06-05 IOActive discovers vulnerability
- 2019-06-13 IOActive reports vulnerability to Google
- 2019-11-05 Google publishes the fix for the vulnerability
- 2020-01-17 IOActive advisory published